

SUN COOL  
FABRICS


Sundance  
Window Coverings

# HELIOS


---

OPENNESS FACTOR 1%  
SCREEN FABRIC


Helios' clean and proportional 1x1 basketweave construction allows for small amounts of transmitted light with controlled privacy. This minimal fabric is an excellent solution for commercial spaces, schools, hospitals, and more.




ROLLER  
SHADES



ROMAN  
SHADES



PANEL  
TRACKS




SKYLIGHT  
TRACKS




WHITE/GRAY

SC-A7-103




WHITE/WHITE

SC-A7-101



WHITE/LINEN

SC-A7-102



WHITE/BLACK

SC-A7-104



## FABRICATION METHODS

---

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser

Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

## PRODUCT SPECIFICATIONS

---

COMPOSITION	30% Polyester + 70% PVC
ROLL WIDTH	118"
ROLL LENGTH	33 yd
WEIGHT / YD <sup>2</sup>	15.46 oz/yd <sup>2</sup>
THICKNESS	.029" ± 5%
COLOR FASTNESS	8 Grade (SGS)
YARN COUNT	82*34
BREAKING STRENGTH	Warp 2740 N/5cm Weft 1200 N/5cm

## CARE AND CLEANING

---

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

## CERTIFICATIONS, TESTS, AND WARRANTY

---

<b>CALIFORNIA TITLE 19</b>	<b>OEKO-TEX® STANDARD 100</b>	<b>UL GREENGUARD GOLD</b>	<b>ROHS COMPLIANT</b>	<b>10 YEAR WARRANTY</b>	<b>ASTM G-21 &amp; E-2180</b>	<b>NFPA® 701-TM</b>
FLAME RETARDANT	FREE OF HARMFUL CHEMICALS	HEALTHY INDOOR AIR QUALITY	FREE OF HARMFUL METALS	QUALITY GUARANTEED	BACTERIA & FUNGAL RESISTANCE	FIRE RETARDANT

**Sundance**  
Window Coverings