

SHADE
FABRIC
collection


Sundance
Window Coverings

STATIC

BLACKOUT (B/O)
0% OPENNESS FACTOR




A fabric style for the traditionalist at heart, Static offers splashes of neutrals such as white, gray, and tan. All fabric colors feature a solid white backing great for enhanced solar performance.




RO LLER
SH AD ES




RO MA N
SH AD ES



PANE L
TR AC KS



SK YLIGHT
TR AC KS




COFFEE

1906



SOFT WHITE

1901




EARTH

1903



BEIGE

1904



GRAY

1905

FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser

Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION	100% Polyester
ROLL WIDTH	118"
ROLL LENGTH	33 yd
WEIGHT / YD ²	10.90 oz/ yd ²
THICKNESS	.020" ± 5%
COLOR FASTNESS	4.5 (AATCC 16-2003)

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY

CALIFORNIA TITLE 19	OEKO-TEX® STANDARD 100	UL GREENGUARD GOLD	ROHS COMPLIANT	10 YEAR WARRANTY	ASTM G-21 & E-2180
FLAME RETARDANT	FREE OF HARMFUL CHEMICALS	HEALTHY INDOOR AIR QUALITY	FREE OF HARMFUL METALS	QUALITY GUARANTEED	BACTERIA & FUNGAL RESISTANCE

Sundance
Window Coverings