

SUN COOL
FABRICS

Sundance
Window Coverings


OMEGA PRO

Openness Factor 10%
Screen Fabric




Experience enhanced durability and style with Omega Pro - the premier outdoor shade fabric with all the coordinated colors of YUMA's original Omega fabrics, plus extra thick core yarns for added resilience in exterior environments. Omega Pro provides excellent daylight and solar control with its 3% openness factor and boasts a sleek and modern appearance that complements any environment.





BROWN/TAUPE SC-A1-1012




WHITE SC-A1-1001




WHITE/LINEN SC-A1-1002




WHITE GRAY SC-A1-1003



LIGHT GRAY SC-A1-1006




DARK GRAY SC-A1-1008



GRAY/BLACK SC-A1-1010



BLACK SC-A1-1011



CHARCOAL TAUPE SC-A1-1013

FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser

Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION	30% Polyester + 70% PVC
ROLL WIDTH	118", 138"
ROLL LENGTH	33 yd
WEIGHT / YD2	13.86 oz/yd2 ± 5%
THICKNESS	.029" ± 5%
COLOR FASTNESS	8 Grade (SGS)
YARN COUNT	36 * 30
BREAKING STRENGTH	Warp 2130 N/5cm Weft 1840 N/5cm

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY

CALIFORNIA TITLE 19 FLAME RETARDANT	OEKO-TEX® STANDARD 100 FREE OF HARMFUL CHEMICALS	UL GREENGUARD GOLD HEALTHY INDOOR AIR QUALITY	ROHS COMPLIANT FREE OF HARMFUL METALS	10 YEAR WARRANTY QUALITY GUARANTEED	ASTM G-21 & E-2180 BACTERIA & FUNGAL RESISTANCE	NFPA® 701-TM FIRE RETARDANT
---	---	--	--	--	--	---

Sundance
Window Coverings